

**Table 3.9 Impact of EPA's Tolerance Decisions on Dietary Risk (Toxicity Index) for Risk-Driving Chemicals in Imported Samples**

	Country of Origin	Tolerance as of August 1996 (ppm)	Tolerance as of August 2000 (ppm)	TI Before EPA Action	Estimated TI After EPA Action
<b>chlorpyrifos</b>					
Apples	New Zealand	1.5	0.01	322.0	12.3
Grapes	Chile	0.5	0.01	127.2	3.1
Tomatoes	Mexico	0.5	NT	89.0	0.0
Peaches	Chile	0.05	0.05	47.5	47.5
Pears	2 Countries	0.05	0.05	22.6	22.6
			<b>Totals</b>	<b>608.3</b>	<b>85.5</b>
			<b>Percent Change</b>		<b>86.0%</b>
<b>anilazine</b>					
Strawberries, Fresh	Mexico	10	NT	475.1	0.0
			<b>Totals</b>	<b>475.1</b>	<b>0.0</b>
			<b>Percent Change</b>		<b>100.0%</b>
<b>azinphos-methyl</b>					
Peaches	Chile	2	2	138.9	138.9
Apples	New Zealand	2	1.5	108.9	108.9
Pears	3 Countries	2	1.5	100.7	100.7
Grapes	Chile	5	4	3.7	3.7
Tomatoes	Mexico	2	2	2.8	2.8
Apple Juice	2 Countries	2	1.5	2.1	2.1
Green Beans, Fresh	Mexico	2	2	0.6	0.6
			<b>Totals</b>	<b>357.8</b>	<b>357.8</b>
			<b>Percent Change</b>		<b>0.0%</b>
<b>iprodione</b>					
Peaches	Chile	20	20	145.9	145.9
Strawberries, Fresh	Mexico	15	15	93.6	93.6
Grapes	3 Countries	60	60	43.0	43.0
Green Beans, Fresh	Mexico	2	2	0.4	0.4
Carrots	Canada	5	5	0.3	0.3
			<b>Totals</b>	<b>283.2</b>	<b>283.2</b>
			<b>Percent Change</b>		<b>0.0%</b>

**Table 3.9 Impact of EPA's Tolerance Decisions on Dietary Risk (Toxicity Index) for Risk-Driving Chemicals in Imported Samples**

	Country of Origin	Tolerance as of August 1996 (ppm)	Tolerance as of August 2000 (ppm)	TI Before EPA Action	Estimated TI After EPA Action
<b>methomyl</b>					
Spinach, Fresh	Mexico	6	6	162.9	162.9
Grapes	2 Countries	5	5	13.6	13.6
Strawberries, Fresh	Mexico	2	2	13.4	13.4
Green Beans, Fresh	Mexico	2	2	10.0	10.0
Broccoli	Mexico	2	3	9.4	9.4
Cantaloupe	Mexico	0.2	0.2	3.4	3.4
Peaches	Chile	5	5	1.4	1.4
Tomatoes	Mexico	1	1	0.1	0.1
			<b>Totals</b>	<b>214.1</b>	<b>214.1</b>
			<b>Percent Change</b>		<b>0.0%</b>
<b>dimethoate</b>					
Spinach, Fresh	Mexico	2	2	138.7	138.7
Grapes	3 Countries	1	1	52.5	52.5
Green Beans, Fresh	Mexico	2	2	11.3	11.3
Apple Juice	3 Countries	2	2	8.2	8.2
Pears	Chile	2	2	2.2	2.2
Tomatoes	Mexico	2	2	0.1	0.1
			<b>Totals</b>	<b>213.0</b>	<b>213.0</b>
			<b>Percent Change</b>		<b>0.0%</b>
<b>methamidophos</b>					
Tomatoes	Mexico	1	1	163.0	163.0
Cantaloupe	Mexico	0.5	0.5	32.3	32.3
Green Beans, Fresh	Mexico	3	3	10.8	10.8
			<b>Totals</b>	<b>206.1</b>	<b>206.1</b>
			<b>Percent Change</b>		<b>0.0%</b>
<b>mevinphos</b>					
Broccoli	Mexico	1	1	137.6	137.6
Spinach, Fresh	Mexico	1	1	19.5	19.5
Grapes	2 Countries	1	1	13.0	13.0
Peaches	Chile	1	NT	4.7	0.0
			<b>Totals</b>	<b>174.8</b>	<b>170.1</b>
			<b>Percent Change</b>		<b>2.7%</b>

**Table 3.9 Impact of EPA's Tolerance Decisions on Dietary Risk (Toxicity Index) for Risk-Driving Chemicals in Imported Samples**

	Country of Origin	Tolerance as of August 1996 (ppm)	Tolerance as of August 2000 (ppm)	TI Before EPA Action	Estimated TI After EPA Action
<b>endosulfan</b>					
Green Beans, Fresh	Mexico	2	2	28.4	28.4
Strawberries, Fresh	Mexico	2	2	22.0	22.0
Spinach, Fresh	Mexico	2	2	17.4	17.4
Tomatoes	2 Countries	2	2	12.7	12.7
Winter Squash, Fresh	2 Countries	2	2	12.5	12.5
Winter Squash, Frozen	Mexico	2	2	10.2	10.2
Cantaloupe	Mexico	2	2	10.0	10.0
Peaches	Chile	2	2	3.6	3.6
Pears	2 Countries	2	2	2.7	2.7
Carrots	2 Countries	0.2	0.2	0.9	0.9
Grapes	2 Countries	2	2	0.3	0.3
			<b>Totals</b>	<b>120.7</b>	<b>120.7</b>
			<b>Percent Change</b>		<b>0.0%</b>
<b>benomyl</b>					
Strawberries, Fresh	Mexico	5	5	49.5	49.5
Peaches	Chile	15	15	38.8	38.8
Green Beans, Fresh	Mexico	2	2	15.0	15.0
Grapes	2 Countries	10	10	4.0	4.0
Apple Juice	2 Countries	7	7	2.5	2.5
Carrots	Canada	0.2	0.2	1.0	1.0
Spinach, Fresh	Mexico	0.2	0.2	0.7	0.7
Tomatoes	Mexico	5	5	0.3	0.3
			<b>Totals</b>	<b>111.8</b>	<b>111.8</b>
			<b>Percent Change</b>		<b>0.0%</b>
<b>Top 10 Import Risk Drivers</b>				<b>Totals</b>	<b>2,765.0</b>
				<b>Percent Change</b>	<b>-36.3%</b>